

Renovaskulární hypertenze: diagnostika a léčba

JOHN O. CONNOLLY a ROBIN G. WOOLFSON

Department of Nephrology, Middlesex Hospital, London, UK

LITERATURA

- 1 Davis BA, Crook SE, Vestal RE, Gates JA. Prevalence of renovascular hypertension in patients with grade III or IV hypertensive retinopathy. *NEJM* 1979; **301**: 1273-6
- 2 Schwartz CJ, White TA. Stenosis of renal artery: an unselected necropsy study. *BMJ* 1964; **5**: 1415-21
- 3 Woolfson RG. Renal failure in atherosclerotic renovascular disease. pathogenesis, diagnosis and intervention. *Postgrad Med J* 2001; **77**: 68-74
- 4 Caps MT, Perissonotto C, Zierler RE *et al*. Prospective study of atherosclerotic disease progression in the renal artery. *Circulation* 1998; **98**: 2866-72
- 5 Hansen KJ, Edwards MS, Craven TE *et al*. Prevalence of renovascular disease in the elderly: a population-based study. *J Vascular Surg* 2002; **36**: 443-51
- 6 Connolly JO, Higgins RM, Walters HL *et al*. Presentation, clinical features and outcome in different patterns of atherosclerotic renovascular disease. *QJM* 1994; **87**: 413-21
- 7 Thadhani R, Pascual M, Nickleleit V, Tolkoff-Rubin N, Colvin R. Preliminary description of focal segmental glomerulosclerosis in patients with renovascular disease. *Lancet* 1996; **347**: 231-3
- 8 Greenberg A, Bastacky SI, Iqbal A, Borochovit D, Johnson JP. Focal segmental glomerulosclerosis associated with nephrotic syndrome in cholesterol atheroembolism: clinicopathological correlations. *Am J Kidney Dis* 1997; **29**: 334-44
- 9 Missouriis CG, Buckenham T, Vallance PJ, MacGregor G. Renal artery stenosis masquerading as congestive cardiac failure. *Lancet* 1993; **341**: 1521-2
- 10 Pickering TG, Herman L, Devereux RB *et al*. Recurrent pulmonary oedema in hypertension due to bilateral renal artery stenosis: treatment by angioplasty or surgical intervention. *Lancet* 1988; **2**: 551-2
- 11 Guzman RP, Zierler RE, Isaacson JA, Bergelin RE, Styrandness DE. Renal atrophy and arterial stenosis: A prospective study with duplex renal ultrasound. *Hypertension* 1994; **23** : 346-50
- 12 Schreiber MJ, Pohl MA, Novick AC. The natural history of atherosclerotic and fibrous renal artery disease. *Urol Clin North Am* 1984; **11**: 383-92
- 13 Tullis MJ, Zierler RE, Caps MT *et al*. Clinical evidence of contralateral renal parenchymal injury in patients with unilateral atherosclerotic renal artery stenosis. *Ann Vasc Surg* 1998; **12**: 122-7
- 14 Lerman LO, Taler SJ, Textor SC, Sheedy PF, Romero JC. Computed tomography-derived intrarenal blood flow in renovascular and essential hypertension. *Kidney Int* 1996; **49**: 846-54
- 15 Farmer CKT, Cook GJR, Blake GM, Reidy J, Scoble JE. Individual kidney function in atherosclerotic nephropathy is not related to the presence of renal artery stenosis. *Nephrol Dial Transplant* 1999; **14**: 2880-4
- 16 Sang CN, Whelton PK, Hamper UM *et al*. Etiologic factors in renovascular fibromuscular dysplasia: a casecontrolled study. *Hypertension* 1989; **14**: 427-79
- 17 Iantorno M, Pola R, Schinzari F *et al*. Association between altered circadian blood pressure profile and cardiac end-organ damage in patients with renovascular hypertension. *Cardiology* 2003; **100**: 114-9
- 18 Shep SG, Kincaid OW, Hunt JC. Serial renal function and arteriographic observations in idiopathic fibrous and fibromuscular stenoses of the renal arteries. *Am J Cardiol* 1972; **30**: 55-60
- 19 Pohl MA, Novick AC. Natural history of atherosclerotic and fibrous renal artery disease. *Am J Kidney Dis* 1985; **5**: 120-30
- 20 Goncharenko V, Gerlock AJ, Shaff MI, Hollifield JW. Progression of renal artery fibromuscular dysplasia in 42 patients as seen on angiography. *Radiology* 1981; **139**: 45-51
- 21 Mounier-Vehier C, Lions C, Jaboureck O *et al*. Parenchymal consequences of fibromuscular dysplasia renal artery stenosis. *Am J Kidney Dis* 2002; **40**: 1138-45
- 22 Hall SL, Barr W, Lie JT *et al*. Takayasu arteritis. A study of 32 North American patients. *Medicine* 1985; **64**: 89-99

- 23 **Ostuni PA, Lazzarin P, Pengo V et al.** Renal artery thrombosis and hypertension in a 13 year old girl with antiphospholipid syndrome. *Ann Rheum Dis* 1990; **49**: 184-7
- 24 **Asherson RA, Nobel GE, Hughes GRV.** Hypertension, renal artery stenosis and the primary antiphospholipid syndrome. *J Rheumatol* 1991; **18**: 1413-5
- 25 **Bruno S, Remuzzi G, Ruggenti P.** Transplant renal artery stenosis. *J Am Soc Nephrol* 2004; **15**: 134-41
- 26 **Goldblatt H.** Studies on experimental hypertension. 1. The production of persistent evaluation of systolic blood pressure by means of renal ischaemia. *J Exp Med* 1934; **59**: 347-53
- 27 **Welch WJ.** The pathophysiology of renin release in renovascular hypertension. *Semin Nephrol* 2000; **20**: 394-401
- 28 **Higashi Y, Sasaki S, Nakagawa K et al.** Endothelial function and oxidative stress in renovascular hypertension. *N Engl J Med* 2002; **346**: 1954-62
- 29 **Dzau VJ.** Tissue angiotensin and pathobiology of vascular disease: a unifying hypothesis. *Hypertension* 2001; **37**: 1047-52
- 30 **Conlon PJ, O'Riordan E, Kalra PA.** New insights into the epidemiologic and clinical manifestations of atherosclerotic renovascular disease. *Am J Kidney Dis* 2000; **35**: 573-87
- 31 **Radermacher J, Chavan A, Bleck J et al.** Use of Doppler ultrasonography to predict the outcome of therapy for renal-artery stenosis. *N Engl J Med* 2001; **344**: 410-7
- 32 **Woolfson RG, Neild GH.** The role of renography in nephrourology. *Eur J Nuc Med* 1997; **24**: 557-70
- 33 **Huot SJ, Hansson JH, Dey H, Concato J.** Utility of captopril renal scans for detecting renal artery stenosis. *Arch Intern Med* 2002; **162**: 1981-4
- 34 **Vasbinder GB, Nelemans PJ, Kessels AG et al.** Diagnostic tests for renal artery stenosis in patients suspected of having renovascular hypertension: a metaanalysis. *Ann Intern Med* 2001; **135**: 401-11
- 35 **Reidy JF.** New diagnostic techniques for imaging the renal arteries. *Curr Opin Nephrol Hypertens* 2002; **11**: 635-9
- 36 **Aurell M, Jensen G.** Treatment of renovascular hypertension. *Nephron* 1997; **7**: 373-83
- 37 **Johansson M, Herlitz H, Jensen G, Rundqvist B, Friberg P.** Increased cardiovascular mortality in hypertensive patients with renal artery stenosis. Relation to sympathetic activation, renal function and treatment regimens. *J Hypertension* 1999; **17**: 1743-50
- 38 **Scoble JE, de Takats D, Ostermann ME et al.** Lipid profiles in patients with atherosclerotic renal artery stenosis. *Nephron* 1999; **83**: 117-21
- 39 **Collins R, Armitage J, Parish S, Sleight P, Peto R.** MRC/BHF heart protection study of cholesterol-lowering with simvastatin in 5963 people with diabetes: a randomised placebo-controlled trial. *Lancet* 2003; **14**: 2005-16
- 40 **Woolfson RG, Lachmann H.** Improvement in renal cholesterol emboli syndrome after simvastatin. *Lancet* 1998; **351**: 1331-2
- 41 **Ridker PM, Rifai N, Pfeffer MA, Sacks F, Braunwald E.** Long-term effects of pravastatin on plasma concentration of C- reactive protein. The cholesterol and recurrent events (CARE) investigators. *Circulation* 1999; **100**: 230-5
- 42 **Kalra PA, Mamtora H, Holmes AM, Waldek S.** Renovascular disease and renal complications of angiotensin converting enzyme inhibitor therapy. *Q J Med* 1990; **282**: 1013-8
- 43 **van de Ven PJG, Beutler JJ, Kaatee R et al.** Angiotensin converting enzyme inhibitor-induced renal dysfunction in atherosclerotic renovascular disease. *Kidney Int* 1998; **53**: 986-93
- 44 **van Jaarsveld BC, Krijnen P, Pieterman H et al.** The effect of balloon angioplasty on hypertension in atherosclerotic renal artery stenosis. *N Engl J Med* 2000; **342**: 1007-14
- 45 **Plouin PF, Chatellier G, Darne B, Raynaud A.** Blood pressure outcome of angioplasty in atherosclerotic renal artery stenosis: a randomized trial. *Hypertension* 1998; **31**: 823-9
- 46 **Webster J, Marshall F, Abdalla M et al.** Randomised comparison of percutaneous angioplasty vs continued medical therapy for hypertensive patients with atheromatous renal artery stenosis. Scottish and Newcastle Renal Artery Stenosis Collaborative Group. *J Hum Hypertension* 1998; **12**: 329-35
- 47 **Leertouwer TC, Gussenhoven EJ, Bosch JL et al.** Stent placement for renal arterial stenosis. Where do we stand? A metaanalysis. *Radiology* 2000; **216**: 78-85
- 48 **Kennedy DJ, Colyer WR, Brewster PS et al.** Renal insufficiency as a predictor of adverse events and mortality after renal artery stent placement. *Am J Kidney Dis* 2003; **42**: 926-35
- 49 **Cherr GS, Hansen KJ, Craven TE et al.** Surgical management of atherosclerotic

- renovascular disease. *J Vasc Surg* 2002; **35**: 236–45
- 50 **Weibull H, Bergqvist D, Bergentz SE, Johsson K, Manhem P.** Percutaneous transluminal renal angioplasty versus surgical reconstruction of atherosclerotic renal artery stenosis: a prospective randomized study. *J Vasc Surg* 1993; **18**: 841–52

Korespondence:
Robin G. Woolfson, Department of Nephrology, Middlesex Hospital, Mortimer Street, London W1N 8AA, UK. e-mail: r.woolfson@ucl.ac.uk

Zkratky:
RVH, renovascular hypertension; **(A)RAS**, (atherosclerotic) renal artery stenosis; **ARVD**,

atherosclerotic renovascular disease; **FMD**, fibromuscular dysplasia; **ACE**, angiotensin-converting enzyme; **RAA**, renin-angiotensin aldosterone; **CTA**, CT angiography; **MRA**, MR angiography.